Reindeer Moss Wall

PRODUCT SPECIFICATION SHEET

Specifications

Colors

Reindeer Moss Wall Showcases

Optional Add-Ons

Installation Methods




SPECIFICATIONS

Composition	Reindeer moss is a fascinating natural material renowned for its unique composition. It is a type of lichen that grows abundantly in Arctic regions and is carefully harvested for various applications. Composed of a symbiotic relationship between fungi and algae, reindeer moss possesses a remarkable balance of structure and resilience. The fungi provide a stable framework, while the algae contribute to the moss's vibrant green color through photosynthesis. When preserved, the composition of reindeer moss ensures its longevity and resistance to fading, allowing it to maintain its vibrant appearance for an extended period.
Size and Shape	We offer custom Reindeer Moss Wall available in all sizes and shapes to suit your needs. For preset sizes and shapes, please refer to the Shapes section.
Weight	Reindeer Moss Wall weigh approximately 1 pound per square foot.
Thickness	The thickness of Reindeer Moss Wall ranges from 2.5 inches to 3 inches.
Maintenance	Reindeer Moss Wall are maintenance-free, requiring no sunlight, watering, or pruning.
Origin	The Reindeer Moss Wall use reindeer moss handpicked in Asia.
Care	Our Reindeer Moss Wall are designed for interior use only. It is recommended to avoid direct sunlight. Please refer to the Maintenance and Care instructions for detailed information.
Health	Our Reindeer Moss Wall are non-toxic, non-allergenic, and act as natural insect repellents.
Humidity	Reindeer moss tends to dry and may become brittle if the interior relative humidity falls below 40%. It will remain soft and pliable above 40% RH.
Fire Resistance	Our Reindeer Moss Wall have been ASTM E384 Test: Class A Result in Flammability.
Durability	Our Reindeer Moss Wall maintain their form, color, and texture for 8 to 10 years.
USGBC LEED V4 Credits	Reindeer Moss Wall can contribute to the following LEED V4 credits. For detailed requirements, please refer to the USGBC credit guides: EQC9 for enhancing acoustic performance, MRc3 BPDO for sourcing of raw materials for recycled contribution, and EQc6 for interior lighting surface reflectance (lighter color options).

Acoustics

Stand out with our superior sound-absorbing product boasting a 60% Noise Reduction Coefficient (NRC). Gift your space the serenity and comfort it deserves.




Colors



Reindeer Moss Wall Showcases


Solid

Tailored for designers with an affinity for unity and purity, the Solid style delivers a singular color experience, ensuring continuity and a minimalist aesthetic within spaces.



Patterned

Featuring bold geometric patterns and gradient effects, our Patterned Reindeer Moss Walls combine multiple preserved moss colors to create sophisticated biophilic installations that serve as stunning focal points in contemporary spaces.



Artistic

Elevating preserved moss into fine art, our Artistic collection transforms multiple moss colors into sophisticated compositions - from vibrant abstracts to intricate landscapes - creating signature pieces that transcend traditional biophilic design.



Optional Add-Ons


To further personalize and elevate the appearance of your moss wall, we offer these optional add-ons. Our solutions provide enhanced visual impact and brand alignment. For detailed specifications and installation requirements, please refer to Add-On Specs.

Custom Logo



Moss

For more logo details, please refer to the Add-On Logo Specs.



For more frame details, please refer to the Add-On Frame Specs.

Installation Methods

• ADHESIVE


Double-sided Adhesive Felt Backing Installation:



SCREW


Wood Panel Backing Installation:

Soft Walls Including drywall, wood wall, plaster wall etc.



• HANG

Reinforced Wooden Backing Installation:



For more Installation details, please refer to the Installation Spec.